



FOAM TAPES

FT1300

A foam tape coated on both sides with a very aggressive, high tack adhesive system. It is engineered for high shear and stress designs, providing a foam tearing bond to a wide variety of materials. The adhesive exhibits excellent wet-out to a variety of substrates and conforms to irregular surfaces making it ideal for use in many general purpose mounting applications. It is widely used in POP and hang tab applications. The adhesive meets the requirements of 21CFR175.105 for indirect food contact applications.

Adhesive Air Side: 2.0mil rubber

Adhesive Liner Side: 2.0mil rubber

Product	Type	Carrier	Liner	Width
FT1300-76-60	Custom	1/32" white PE foam	76#	60"

FT1302

A double coated foam tape with a very aggressive, high tack adhesive system that offers a foam tearing bond to a variety of materials. It is engineered for high shear and high stress designs. Exhibits excellent wet-out to a variety of substrates and conformability to irregular surfaces making it ideal for many general purpose mounting applications. Widely used in POP and hang tab applications. The adhesive meets the requirements of 21CFR175.105 for indirect food contact applications.

Adhesive Air Side: 2.0mil rubber

Adhesive Liner Side: 2.0mil rubber

Product	Type	Carrier	Liner	Width
FT1302-96-60	Custom	1/16" white PE foam	96#	60"

FT1352

A foam tape coated on both sides with a high shear, high strength adhesive system. This high performance adhesive system is engineered to provide high initial adhesion to a variety of substrates including low surface energy (LSE) materials. It is used in a variety of applications including mirror mounting and door sealing.

Adhesive Air Side: 2.7mil rubber

Adhesive Liner Side: 2.7mil rubber

Product	Type	Carrier	Liner	Width
FT1352-96-60	Custom	1/16" white PE foam	96#	60"

FOAM TAPES



FT1362

A double coated foam tape constructed with aggressive high shear, high temperature resistant, permanent adhesives on both sides. Designed for applications which require very aggressive high tack, strong shear, peel strength and robust performance. Excellent performance under dead load stress. The foam carrier offers conformability to irregular surfaces. Applications include, bonding to a wide range of materials including wood, metal and low surface energy (LSE) plastics.

Adhesive Air Side: 2.4mil rubber

Adhesive Liner Side: 2.4mil rubber

Product	Type	Carrier	Liner	Width
FT1362-76-60	Custom	1/16" white PE foam	76#	60"

PRFT1700

A permanent/removable foam tape with polyester support to enhance dimensional stability and ease of removal. For use in applications where a temporary bond is required. The liner side (substrate/application) adhesive will remove cleanly from many surfaces under typical environmental conditions, leaving no ghosting or residue behind. An excellent tape for adhering abrasives discs and materials to various disk holders, printing plates and where low adhesion is required on the end user side. Multiple uses in POP assembly applications.

Adhesive Air Side: 2.0mil rubber

Adhesive Liner Side: 1.4mil rubber

Product	Type	Carrier	Liner	Width
PRFT1700-76-60	Custom	1/32" white PE foam with polyester support	76#	60"

FT1800

The FT1800 family is constructed with a permanent, high tack rubber based adhesive system on both sides of a PE foam. Available in a variety of foam colors and thicknesses, these conformable foam tapes exhibit excellent wet-out to a variety of substrates and are ideal for many general purpose mounting applications. The adhesive displays excellent cold temperature properties, offers a foam tearing bond to a variety of materials and meets the requirements of 21CFR175.105 for indirect food contact applications.

Adhesive Air Side: 2.0mil rubber

Adhesive Liner Side: 2.0mil rubber

Product	Type	Carrier	Liner	Width
FT1800-76-60	Stock	1/32" white PE foam	76#	60"
FT1801-76-60	Stock	1/32" black PE foam	76#	60"
FT1802-76-60	Stock	1/16" white PE foam	76#	60"
FT1803-76-60	Stock	1/16" black PE foam	76#	60"
FT1804-76-60	Custom	1/8" white PE foam	76#	60"
FT1805-76-60	Custom	1/8" black PE foam	76#	60"

FOAM TAPES



FT1920

The FT1920 family is constructed with a permanent high tack adhesive system on both the liner and air side of the foam. The adhesive exhibits excellent wet-out to a variety of substrates while maintaining good heat and chemical resistance. Designed for general-purpose mounting, gasketing and sealing applications, it is constructed on both black and white PE foam in a variety of thickness. End-use applications include POP, signs and nameplates, automotive, appliance, mirror housing, and stair tread mounting.

Adhesive Air Side: 1.8mil acrylic

Adhesive Liner Side: 1.8mil acrylic

Product	Type	Carrier	Liner	Width
FT1920-76-60	Stock	1/32" white PE foam	76#	60"
FT1921-76-60	Stock	1/32" black PE foam	76#	60"
FT1922-76-60	Stock	1/16" white PE foam	76#	60"
FT1923-76-60	Stock	1/16" black PE foam	76#	60"
FT1924-76-60	Custom	1/8" white PE foam	76#	60"
FT1925-76-60	Custom	1/8" black PE foam	76#	60"

SCFT1307

A silver gray foam coated on one side with a high tack rubber based adhesive system. Displays excellent cold temperature properties while maintaining good shear. Bonds aggressively to many plastics and high surface energy materials. Used for cushioning, gasketing, sealing, insulating and vibration control applications. The adhesive meets the requirements of 21CFR175.105 for indirect food contact applications.

Adhesive: 2.0mil rubber

Product	Type	Carrier	Liner	Width
SCFT1307-4BPE60	Custom	1/16" gray PE foam	4 mil PE	60"

CCT (Coating and Converting Technologies) product information is recommended as a general reference guide. All published materials and information concerning CCT products are based on information CCT believes to be reliable, but such information does not constitute a warranty. Because of the variety of possible uses of CCT products and the continuing development of new uses, the buyer should carefully consider the fitness and performance for each intended use and the buyer assumes all risks in connection with such use.

FOAM TAPES



SCFT1800

Single coated high tack adhesive that displays excellent cold temperature properties while maintaining good shear. Available in a variety of colors and thicknesses, these foam tapes bond well to many plastics and high surface energy materials. Used for cushioning, gasketing, sealing, insulating and vibration control applications. The adhesive meets the requirements of 21CFR175.105 for indirect food contact applications.

Adhesive: 2.0mil rubber

Product	Type	Carrier	Liner	Width
SCFT1800-76-60	Custom	1/32" white PE foam	76#	60"
SCFT1801-76-60	Custom	1/32" black PE foam	76#	60"
SCFT1802-76-60	Custom	1/16" white PE foam	76#	60"
SCFT1803-76-60	Custom	1/16" black PE foam	76#	60"
SCFT1804-76-60	Custom	1/8" white PE foam	76#	60"
SCFT1805-76-60	Custom	1/8" black PE foam	76#	60"

SCFT1850

A single coated foam tape with a PET carrier for added dimensional support. Constructed with a permanent adhesive that exhibits excellent wet-out to a variety of substrates. This product will bond aggressively to many plastics and high surface energy materials. Used in a wide range of markets, for a variety of applications.

Adhesive: 1.6mil rubber

Product	Type	Carrier	Liner	Width
SCFT1850-61-60	Custom	1/32" white PE foam	61#	60"

SCFT1920

Single coated tape family constructed with a permanent high tack adhesive system. The adhesive maintains good heat and chemical resistance with excellent wet-out to a variety of substrates. Designed for general-purpose mounting, gasketing and sealing applications. It is constructed on both black and white PE foam in a variety of thickness. End-use includes POP, signs and nameplates, automotive, appliance, mirror housing, and stair tread mounting applications.

Adhesive: 1.8mil acrylic

Product	Type	Carrier	Liner	Width
SCFT1920-76-60	Stock	1/32" white PE foam	76#	60"
SCFT1921-76-60	Stock	1/32" black PE foam	76#	60"
SCFT1922-76-60	Stock	1/16" white PE foam	76#	60"
SCFT1923-76-60	Stock	1/16" black PE foam	76#	60"
SCFT1924-76-60	Custom	1/8" white PE foam	76#	60"
SCFT1925-76-60	Custom	1/8" black PE foam	76#	60"